

HSV-2 gG

Description: The HSV-2 gG protein is a synthetic protein which containing the HSV-2 gG immunodominant regions.

Catalog #: HSPS-227

Purity: Protein is >99% pure as determined by Analytical HPLC and Mass Spec.

For research use only.

Purification Method:

HSV-2 gG protein was purified by Prep HPLC.

Specificity:

Immunoreactive with sera of HSV-infected individuals.

Formulation:

HSV-2 gG solution contains 25mM Tris-HCl pH8.0.

Usage:

NeoBiolab's products are furnished for LABORATORY RESEARCH USE ONLY. The product may not be used as drugs, agricultural or pesticidal products, food additives or household chemicals.

Introduction:

Entry of HSV into the host cell involves interactions of several viral glycoproteins with cell surface receptors. The virus particle is covered by an envelope which, when bound to specific receptors on the cell surface, will fuse with the cell membrane and create an opening, or pore, through which the virus enters the host cell. The sequential stages of HSV entry are analogous to those of other viruses. At first, complementary receptors on the virus and cell surface bring the two membranes into proximity. In an intermediate state, the two membranes begin to merge, forming a hemifusion state. Finally, a stable entry pore is formed through which the viral envelope contents are introduced to the host cell.

Storage:

HSV-2 gG protein although stable at 4°C for 1 week, should be stored below -18°C. Please prevent freeze thaw cycles.

To place an order, please [Click HERE](#).