

TPM2 Human

Description: TPM2 produced in E.Coli is a single, non-glycosylated polypeptide chain containing 304 amino acids (1-284a.a.) and having a molecular mass of 35.1kDa. TPM2 is fused to a 20 amino acid His-tag at N-terminus & purified by proprietary chromatographic techniques.

Catalog #: PRPS-076

For research use only.

Synonyms: Tropomyosin 2 (beta), DA1, TMSB, DA2B, AMCD1, NEM4, Arthrogryposis Multiplex Congenital Distal-Type 1, beta-Tropomyosin.

Source: Escherichia Coli.

Physical Appearance: Sterile Filtered clear solution.

Amino Acid Sequence: MGSSHHHHHH SSGLVPRGSH MDAIKKKMQM LKLDKENAID
RAEQAEADKK QAEDRCKLE EEQQALQKKL KGTEDEVEKY SESVKEAQEK LEQAEKKATD
AEADVASLNR RIQLVEEELD RAQERLATAL QKLEEAEEKAA DESERGMKVI ENRAMKDEEK
MELQEMQLKE AKHIAEDSDR KYEEVARKLV ILEGELERSE ERAEVAESRA RQLEEEELRTM
DQALKSLMAS EE

Purity: Greater than 90% as determined by SDS-PAGE.

Formulation:

The TPM2 protein solution (1mg/1ml) is formulated in 20mM Tris-HCl buffer (pH8.0) 1mM DTT, 100mM NaCl and 30% glycerol.

Usage:

NeoBiolabs products are furnished for LABORATORY RESEARCH USE ONLY. The product may not be used as drugs, agricultural or pesticidal products, food additives or household chemicals.

Introduction:

Tropomyosin beta chain isoform 2 is affiliate to the actin filament binding protein family which primarily expressed in slow, type 1 muscle fibers. Mutations in TPM2 can change the expression of other sarcomeric tropomyosin proteins, and cause cap disease, nemaline myopathy and distal arthrogryposis syndromes.

Storage:

Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods of time. Please avoid freeze thaw cycles.

To place an order, please [Click HERE](#).